



ECO-GLO53

SOLAR

LED Solar Bollard Light

38cm | 60cm | 90cm | wall mounted



IP65
Weatherproof



High brightness
LED beads



LifePO4
Battery



Anti
corrosion



Anti
UV



ECO-GLO53

SOLAR SOLAR BOLLARD LIGHT

38cm | 60cm | 90cm | wall mounted

ECO-GL053 IK10 vandal-resistant solar LED bollard light is an innovative product first introduced in 2019. Compared to other solar bollard lights on the market, ECO-GL053 offers several key advantages:

Durable Polycarbonate Dome – The dome is made from high-transmittance polycarbonate (96%) to protect the solar panel. It delivers outstanding impact resistance, achieving an IK10++ level.

Self-Cleaning Curved Design – The gently curved dome design prevents dust accumulation. Any debris simply falls away or is washed off by rain, keeping the solar panel clear and efficient.

High-Spec Performance – Equipped with a 6.2W solar panel and a premium LiFePO4 battery (3.2V, 12AH), ECO-GL053 offers reliable all-night illumination with backup for 3 to 4 nights.

Customisable Full-Colour Lighting – RGBCW full-colour models are available, allowing you to set any colour via a 2.4G wireless touch remote control.



Unique Properties

All solar lights are designed with an aesthetic appearance, simple slim curvy with modern look.



Premium Quality

Especially designed for high-end customers with stable quality, smooth and fine workmanship, perfect after-sales support.



Set Colors

Users can change the color temperature or set any colorful atmosphere easily with remote



Main Specification



Model name	ECO-GLO53
LED source	1.5 Watts
Luminous flux	>220lm
Solar panel	5V 6.2 Watts
Light head size	φ255mm round shape
IP & IK rate	IP65 IK08





ECO-GLO53

SOLAR

SOLAR BOLLARD LIGHT

38cm | 60cm | 90cm | wall mounted

ECO-GL053 IK10 vandal-resistant solar LED bollard light is an innovative product first introduced in 2019. Compared to other solar bollard lights on the market, ECO-GL053 offers several key advantages:

Durable Polycarbonate Dome – The dome is made from high-transmittance polycarbonate (96%) to protect the solar panel. It delivers outstanding impact resistance, achieving an IK10++ level.


Self-Cleaning Curved Design – The gently curved dome design prevents dust and debris accumulation. Any debris simply falls away or is washed off by rain, keeping the solar panel clear and efficient.

High-Spec Performance – Equipped with a 6.2W solar panel and a premium LiFePO4 battery (3.2V, 12AH), ECO-GL053 offers reliable all-night illumination with backup for 3 to 4 nights.

Customisable Full-Colour Lighting – RGBCW full-colour models are available, allowing you to set any colour via a 2.4G wireless touch remote control.



Installation Reference



ECO-GLO53

LED Solar Bollard Light



Servicing Australia Wide | Head Office
Factory 2/1 Access Way, Carrum Downs VIC 3201
e.info@sdastackers.com.au w.ecosolarlighting.com.au